

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: H82R

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

| | Genotype | analysis res | ults of STR and | Amelogenin | oci in cells | | |
|----------|------------------------|-----------------|-----------------|--------------------------------|--------------|---------|--|
| | | profile for Sam | | STR profile for Cell Bank cell | | | |
| STR Loci | Cell name: STR25041114 | | | Cell name: H82R | | | |
| | Allele1 | Allele2 | Allele3 | Allele1 | Allele2 | Allele3 | |
| D5S818 | 12 | 12 | BIC | 12 | 12 | | |
| D13S317 | 8 | 8 | | 8 | 8 | | |
| D7S820 | 10 | 13 | | 10 | 13 | BIGE | |
| D16S539 | 12 | 12 | | 12 | 12 | | |
| VWA | 14 | 14 | | 14 | 14 | | |
| TH01 | G 9 | 9.3 | | 9 | 9.3 | | |
| AMEL | Х | Х | | х | Х | | |
| ТРОХ | 11 | 11 | | - 11 | 11 | | |
| CSF1PO | 11 | 11 | UBIC | 11 | 11 | | |
| D12S391 | 20 | 23 | 8 | | | E | |
| FGA | 24 | 25 | | | | BIGE | |
| D2S1338 | 17 | 24 | | | e | | |
| D21S11 | 28 | 30 | | | | | |
| D18S51 | 18 | 18 | | | | | |
| D8S1179 | 13 | 13 | | | | | |
| D3S1358 | 17 | 17 | | ENE | | | |
| D6S1043 | 20 | 20 | BIC | | | | |

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

| PENTAE | GE-11 | 12 | | | 0 | | |
|---------|-------|----|------|-----|---|-----|---|
| D19S433 | 13 | 13 | | | | | |
| PENTAD | 10 | 12 | | ENE | | | |
| D1S1656 | 13 | 15 | UBIC | | | | |
| | | | 9 | | | -51 | X |
| | | | | | | | |

Conclusion: The STR results of <u>H82R</u> cells are consistent with the genotypes of <u>H82R</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>SCSP-5097</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

5. Attached Image



O UBIGENE