

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HCC827-MTAC

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Ilts of STR and	Amelogenin l	oci in cells		
STR Loci	STR profile for Sample cell Cell name: STR25041104			STR profile for Cell Bank cell Cell name: HCC-827			
	D5S818	12	12	BIC	12	12	
D13S317	9	9	8	9	9	_	
D7S820	11	12		11	12	BIGE	
D16S539	12	12		12	12		
VWA	18	18		18	18		
TH01	6 6	6		6	6		
AMEL	Х	X		х	Х		
ТРОХ	8	8		8	8		
CSF1PO	11	11	UBIC	11	11		
D12S391	17	17	8			-E	
FGA	22	24				BIGE	
D2S1338	17	24			6		
D21S11	31	31					
D18S51	13	13					
D8S1179	12	12					
D3S1358	17	17		ENE			
D6S1043	12	12	BIC				

1

T

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	20	20			
D19S433	14	14			
PENTAD	14	14		ENE	
D1S1656	17	18	UBIC		

4. Conclusion: The STR results of <u>HCC827-MTAC</u> cells are consistent with the genotypes of <u>HCC827</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>ACC-566</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

5. Attached Image



O UBIGENE