

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HS-27A

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Its of STR and	Amelogenin l	oci in cells		
STR Loci	STR profile for Sample cell Cell name: STR25030710			STR profile for Cell Bank cell Cell name: HS-27A			
	D5S818	12	12	BIC	12	12	
D13S317	11	13	8	11	13	_	
D7S820	12	12		12	12	BIGE	
D16S539	11	12		11	12		
VWA	18	19		18	19		
TH01	GE 7	9		7	9		
AMEL	Х	Y		х	Y		
ΤΡΟΧ	8	11	. 0	8	11		
CSF1PO	10	11	UBIC	10	11		
D12S391	19	21	8			SE!	
FGA	24	24				BIGE	
D2S1338	22	22			0		
D21S11	29	30					
D18S51	12	15					
D8S1179	13	16					
D3S1358	14	17		ENE			
D6S1043	15	18	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	5	6			<u>e</u>			
D19S433	15	15						
PENTAD	10	13		ENE				
D1S1656	15	15	JBIC					

Conclusion: The STR results of <u>HS-27A</u> cells are consistent with the genotypes of <u>HS-27A</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-2496</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

