

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HTR-8/SVneo

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Its of STR and	Amelogenin l	oci in cells)	
STR Loci	STR profile for Sample cell Cell name: HTR-8-SVneo			STR profile for Cell Bank cell Cell name: HTR-8/SVneo			
	D5S818	12	12	BIC	12	12	
D13S317	9	12		9	12	_	
D7S820	12	12		12	12	BIGE	
D16S539	11	13		13	13		
VWA	13	18		13	18		
TH01	GF 6	9.3		6	9.3		
AMEL	Х	X		х	Х		
ΤΡΟΧ	8	8	. 0	8	8		
CSF1PO	12	12	UBIC	12	12		
D12S391	19	19	8			-E	
FGA	21	23				BIGH	
D2S1338	23	24					
D21S11	29	30					
D18S51	13	13					
D8S1179	15	15					
D3S1358	16	16		ENE			
D6S1043	14	19	BIC				

1

T

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	5-1	7			
D19S433	14	15			
PENTAD	9	12		ENE	
D1S1656	16	17.3	UBIC		

4. Conclusion: The STR results of <u>HTR-8/SVneo</u> cells are consistent with the genotypes of <u>HTR-8/SVneo</u> cell lines in <u>EXPASY</u> database, the cell ID corresponded to <u>CVCL_7162</u>, and the STR results <u>basically matched</u>. In the test, <u>Multi allele was found</u> in this cell line.

O UBIGENE

5. Attached Image

