

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HTh-7

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Ilts of STR and	Amelogenin l	oci in cells		
	STR profile for Sample cell Cell name: STR25032717			STR profile for Cell Bank cell Cell name: HTh7			
STR Loci							
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	11	11	- IBIC	11	11		
D13S317	11	14		11	14		
D7S820	8	11		8	11	BIGE	
D16S539	9	13		9	13		
VWA	14	18		14	18		
TH01	G 9	9.3		9	9.3		
AMEL	Х	Х		х	Х		
ТРОХ	11	11	0	-141	11		
CSF1PO	12	12	UBIC	12	12		
D12S391	23	23	8			- 51	
FGA	20	23				BIGE	
D2S1338	19	20					
D21S11	29	30					
D18S51	16	16					
D8S1179	12	13					
D3S1358	14	15		ENE			
D6S1043	14	15	20.0	T.			

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	12	12			/
D19S433	12	13			
PENTAD	10	11		ENE	
D1S1656	11	16	JBIC		

4. Conclusion: The STR results of <u>HTh-7</u> cells are consistent with the genotypes of <u>HTh-7</u> cell lines in <u>EXPASY</u> database, the cell ID corresponded to <u>CVCL\_6289</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

