

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: Hth83

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analvsis resu	ults of STR and	Ameloaenin l	oci in cells		
		rofile for Sam		STR profile for Cell Bank cell			
STR Loci	Cell name: STR25032007			Cell name: HTh83			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	12	12	- IBIC	12	12		
D13S317	11	13		11	13		
D7S820	12	12		12	12	BIGE	
D16S539	11	12		11	12		
VWA	16	19		16	19	-	
TH01	G 6	9		6	9		
AMEL	Х	Y		х	Y		
ТРОХ	8	8	C	8	8		
CSF1PO	11	11	UBIC	11	11		
D12S391	22	24	8			- 51	
FGA	23	23				BIGE	
D2S1338	19	25			(2		
D21S11	28	32.2					
D18S51	12	14					
D8S1179	13	17					
D3S1358	17	17		ENE			
D6S1043	12	12	, BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 13 14 PENTAD 14 14 D1S1656 15 17.3	PENTAE	GE 7	12			<u>e</u>	
	D19S433	13	14				
D1S1656 15 17.3	PENTAD	14	14		ENE		
	D1S1656	15	17.3	BIC			

4. Conclusion: The STR results of <u>Hth83</u> cells are consistent with the genotypes of <u>Hth83</u> cell lines in <u>EXPASY</u> database, the cell ID corresponded to <u>CVCL_0046</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

3 UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

