

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: KU-19-19

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Carrie		the of CTD and	A		JUD'	
			ults of STR and	-			
STR Loci	STR profile for Sample cell			STR profile for Cell Bank cell			
	Cell name: STR25032004			Cell name: KU-19-19			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	11	12	BIC	11	12		
D13S317	11	11		11	11		
D7S820	10	12		10	12	BIGE	
D16S539	10	12		10	12		
VWA	14	15		14	15	7	
TH01	GF7	8		7	8		
AMEL	Х	Х		х	Х		
ТРОХ	8	11	C	8	11		
CSF1PO	9	10	BIC	9	10		
D12S391	19	21	8			5	
FGA	22	22				BIGE	
D2S1338	19	19					
D21S11	30	32					
D18S51	6-17	20					
D8S1179	10	13					
D3S1358	16	17		ENE			
D6S1043	18	18	, BIC	15			

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	6-10	15			l l	
D19S433	13	14.2				
PENTAD	13	13		ENE		
D1S1656	13	16	UBIC			

Conclusion: The STR results of <u>KU-19-19</u> cells are consistent with the genotypes of <u>KU-19-19</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>ACC-395</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

