

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: LS513

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Geneture	analysis ros	ulte of STP and	Amelogonin	oci in cells		
			Amelogenin loci in cells				
STR Loci	STR profile for Sample cell Cell name: STR25030702			STR profile for Cell Bank cell Cell name: LS513			
	Allele1 Allele2 Allele3			Allele1 Allele2 Allele3			
			Alleles	Elsi		Alleles	
D5S818	9	11	UBIC	9	11		
D13S317	9	10	8	9	10		
D7S820	8	11		8	11		
D16S539	12	13		12	13		
VWA	16	17		16	17	<i>F</i>	
TH01	G 8	8		8	8		
AMEL	Х	Y		х	Y		
ТРОХ	8	8		8	8		
CSF1PO	10	13	UBIC	10	13		
D12S391	19	26	8				
FGA	19	21				BIGE	
D2S1338	19	19					
D21S11	30	30					
D18S51	6-12	18					
D8S1179	13	13					
D3S1358	15	15		ENE			
D6S1043	12	19	1210	IF.			

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 5	18			
D19S433	12	14			
PENTAD	9	14		ENE	
D1S1656	15.3	17	UBIC		

4. Conclusion: The STR results of <u>LS513</u> cells are consistent with the genotypes of <u>LS513</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-2134</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

