

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: NCCIT

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	ults of STR and	Amelogenin l	oci in cells		
	Genotype analysis results of STR and STR profile for Sample cell Cell name: STR25041125			STR profile for Cell Bank cell Cell name: NCCIT			
STR Loci							
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	10	13	BIC	10	13		
D13S317	11	11		11	11		
D7S820	10	10		10	10	BIGE	
D16S539	9	12		9	12		
VWA	14	18		14	18	-	
TH01	GF 7	9		7	9		
AMEL	Х	Х		х	Х		
ТРОХ	8	8	0	8	8		
CSF1PO	10	12	UBIC	10	12		
D12S391	18	22	8			E	
FGA	22	26				BIGE	
D2S1338	18	19			0		
D21S11	29	32.2					
D18S51	13	14					
D8S1179	10	15					
D3S1358	16	16		ENE			
D6S1043	14	14	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 13 15    PENTAD 10 12     D1S1656 15 17	PENTAE	GE 5	14			2
	D19S433	13	15			
D1S1656 15 17	PENTAD	10	12		ENE	
	D1S1656	15	17	JBIC		

Conclusion: The STR results of <u>NCCIT</u> cells are consistent with the genotypes of <u>NCCIT</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-2073</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

## 5. Attached Image



O UBIGENE