

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: NCI-H1944 [H1944]

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Construct		ite of CTD and	Amelonerin I			
			Amelogenin loci in cells				
STR Loci	STR profile for Sample cell			STR profile for Cell Bank cell			
	Cell name: STR25032002			Cell name: NCI-H1944 [H1944]			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	11	11	BIC	11	11		
D13S317	11	11		11	11	- 1	
D7S820	11	12		11	12	BIGE	
D16S539	11	11		11	11		
VWA	17	18		17	18		
TH01	6 6	7		6	7		
AMEL	Х	Х		х	Х		
ТРОХ	8	8		8	8		
CSF1PO	13	13	UBIC	13	13		
D12S391	18	22	8			- 51	
FGA	21	25				BIGE	
D2S1338	16	19			(2		
D21S11	28	31					
D18S51	18	19					
D8S1179	14	15					
D3S1358	15	18		ENE			
D6S1043	12	18	, BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 5	11				
D19S433	13	14				
PENTAD	8	11		NE		
D1S1656	12	17	BIU			
	·		8		·	
4 Conclusio	n [.] The STR re	sults of NCI-	H1944 [H1944	1 cells are c	onsistent with	the BIGE

4. Conclusion: The STR results of <u>NCI-H1944 [H1944]</u> cells are consistent with the genotypes of <u>NCI-H1944 [H1944]</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-5907</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

3 UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

