

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: RT-112 [RT 112, RT112]

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Ilts of STR and	Amelogenin l	oci in cells	JUD.	
		rofile for Sam		STR profile for Cell Bank cell			
STR Loci	Cell name: STR25022007			Cell name: RT-112			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	10	13	BIC	10	13		
D13S317	13	14		13	14	1	
D7S820	11	12		11	12	BIGE	
D16S539	11	13		11	13		
VWA	14	17		14	17		
TH01	GE 7	7		7	7		
AMEL	Х	х		х	Х		
ТРОХ	8	11		8	11		
CSF1PO	10	11	UBIC	10	11		
D12S391	17	24	3			-51	
FGA	25	25				BIGH	
D2S1338	17	24					
D21S11	27	30					
D18S51	17	17					
D8S1179	13	15					
D3S1358	15	15		ENE			
D6S1043	11	20	, IBIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 12	16				
D19S433	13	15				
PENTAD	10	10		ENE		
D1S1656	13	18	BIC			
			8		-51	2

4. Conclusion: The STR results of <u>RT-112 [RT 112, RT112]</u> cells are consistent with the genotypes of <u>RT-112</u> cell lines in <u>ATCC</u> database, the cell ID corresponded to <u>ACC-418</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

